

June 15, 2016

IMPORTANT DRUG INFORMATION

Subject: Change in Expiration Date for Bleomycin for Injection, USP

Dear Healthcare Professionals,

The purpose of this letter is to alert you that the expiration date for Bleomycin for Injection, USP, (Bleomycin) **lots 6112149** and **6112150** has been changed from a 24 month expiration date to a 12 month expiration date. Due to the current critical shortage of Bleomycin in the U.S. Market, Fresenius Kabi USA, LLC (Fresenius Kabi) has placed a secure sticker over the original product label to reflect the new expiration date and bar code for these two lots.

Fresenius Kabi is releasing lots 6112149 and 6112150 bearing the stickers with the knowledge of the U.S. Food and Drug Administration. Please review the sticker on the carton and vial label for the specific expiration date of the product lot you have received.

Adverse reactions or quality problems experienced with the use of this product should be reported to Fresenius Kabi at the number(s) listed below. Adverse events or quality problems experienced with the use of this product may also be reported to the FDA's MedWatch Adverse Event Reporting Program either online, or regular mail, or by fax:

- Complete and submit the report Online: www.fda.gov/medwatch/report.htm
- Regular mail or Fax: Download form www.fda.gov/MedWatch/getforms.htm or call 1-800-332-1088 to request a reporting form, then complete and return to the address on the preaddressed form, or submit by fax to 1-800-FDA-0178.

Fresenius Kabi CONTACT NUMBERS: Please use the following contact numbers as appropriate:

Number	Department	Reason to Call
866-716-2459	Quality Assurance Department	Information on DHCP Letter
800-551-7176	Vigilance and Medical Affairs Dept.	Clinical/Technical Information/ADE/Complaints

Sincerely,

Melanie Power-Burns

Vice President, Quality Assurance Global Operations North America

Fresenius Kabi USA, LLC